



Physical Therapy Services of Brattleboro, Inc.

56 Linden Street
Brattleboro, Vermont 05301

Ph. (802) 254-4699
Fax (802) 257-1985

Informed Consent for Evaluation and Treatment Dry Needling

Important: Please note that if there are any parts of this form you have questions or do not understand, please ask the therapist before signing this form.

Thank you for choosing to come to the Physical Therapy Services of Brattleboro to receive physical therapy services. We implement evidence-based practice by incorporating clinical research, physical therapist's clinical experience, and your preference for treatments to provide the best chance for having a success to minimize or stop the problems you are having.

You should know that at any time you have the right to stop or refuse any part of an evaluation or treatment for any session during the entire course of physical therapy.

What is dry needling?

Dry needling is a form of therapy in which fine needles are inserted into myofascial trigger points (painful knots in muscles), tendons, ligaments, or near nerves in order to stimulate a healing response in painful musculoskeletal conditions. Dry needling is not acupuncture or Oriental Medicine; that is, it does not have the purpose of altering the flow of energy ("Qi") along traditional Chinese meridians for the treatment of disease. In fact, dry needling is a modern, science-based intervention for the treatment of pain and dysfunction in muscle and bone conditions such as neck pain, shoulder impingement, tennis elbow, carpal tunnel syndrome, headaches, knee pain, shin splints, plantar fasciitis, and back pain.



Physical Therapy Services of Brattleboro, Inc.

56 Linden Street
Brattleboro, Vermont 05301

Ph. (802) 254-4699
Fax (802) 257-1985

Is dry needling safe?

Drowsiness, tiredness or dizziness occurs after treatment in a small number of patients (1-3%) and if affected, you are advised not to drive. Minor bleeding or bruising occurs after dry needling in 15-20% of treatments and is considered normal. Temporary pain during dry needling occurs in 60-70% of treatments. Existing symptoms can get worse after treatment (less than 3% of patients); however, this is not necessarily a “bad” sign. Fainting can occur in certain patients (0.3%), particularly at the first treatment session when needling the head or neck region. Dry needling is very safe; however, serious side effects can occur in less than 1 per 10,000 (less than 0.1%) treatments. The most common serious side effect from dry needling is pneumothorax (lung collapse due to air inside the chest wall). The symptoms of dry needling-induced pneumothorax commonly do not occur until after the treatment sessions, sometimes taking several hours to develop. The signs and symptoms of a pneumothorax may include shortness of breath on exertion, increased breathing rate, chest pain, a dry cough, bluish discoloration of the skin, or excessive sweating. If such signs and/or symptoms occur, you should immediately contact your physical therapist or physician. Nerves or blood vessels may be damaged from dry needling which can result in pain, numbness or tingling; however, this is a very rare event and is usually temporary. Damage to internal organs has been reported in the medical literature following needling; however, these are extremely rare events (1 in 200,000).

What types of needles are used?

Single-use, disposable needles are used in this clinic.

Statement of Consent

I confirm that I have read and understand the above information, and I consent to having dry needling treatments. I understand that I can refuse treatment at any time.

Signature: _____

Name (Printed) _____

Date: ____/____/____



Physical Therapy Services of Brattleboro, Inc.

56 Linden Street
Brattleboro, Vermont 05301

Ph. (802) 254-4699
Fax (802) 257-1985

Is there anything your therapists need to know?

Yes No

| | | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 1. Have you ever fainted or experienced a seizure? |
| <input type="checkbox"/> | <input type="checkbox"/> | 2. Do you have a pacemaker or other electrical implant? |
| <input type="checkbox"/> | <input type="checkbox"/> | 3. Are you currently taking anticoagulants (blood thinners)? |
| <input type="checkbox"/> | <input type="checkbox"/> | 4. Are you currently taking antibiotics for an infection? |
| <input type="checkbox"/> | <input type="checkbox"/> | 5. Do you have a damaged heart valve, metal prosthesis or other risk of infection? |
| <input type="checkbox"/> | <input type="checkbox"/> | 6. Are you pregnant or actively trying for pregnancy? |
| <input type="checkbox"/> | <input type="checkbox"/> | 7. Do you suffer from metal allergies? |
| <input type="checkbox"/> | <input type="checkbox"/> | 8. Are you a diabetic or do you suffer from impaired wound healing? |
| <input type="checkbox"/> | <input type="checkbox"/> | 9. Do you have hepatitis B, Hepatitis C, HIV, or any other infectious diseases? |
| <input type="checkbox"/> | <input type="checkbox"/> | 10. Have you eaten in the last two hours? |